## References

- <sup>1</sup> UNAIDS Global Report on HIV/AIDS, Geneva 2006
- <sup>2</sup> MOH (2003) Treatment of AIDS: Guidelines for the use of anti-retroviral therapy in Malawi
- <sup>3</sup> UNAIDS Mother to Child Transmission, Geneva 2003
- <sup>4</sup> Piwoz E, Preble, EA. HIV/AIDS & Nutrition: A review of the Literature and Recommendations for Nutritional Care & Support in Sub-Saharan Africa. SARA (Support for Analysis & Research in Africa) Project 2000
- <sup>5</sup> Prazuck T, Tall F, Nacro B, Rochereau A, Traore A, Sanou T, Malkin JE, Apaire-Marchais V, Masson D, Dublanchet A, et al. HIV infection and severe malnutrition: a clinical and epidemiological study in Burkina Faso. AIDS. 1993 Jan;7(1):103-8.
- <sup>6</sup> Kessler L, Daley H, Malenga G, Graham S. The impact of the human immunodeficiency virus type 1 on the management of severe malnutrition in Malawi. Ann Trop Paediatr 2000;20(1):50-6
- <sup>7</sup> Amadi B., Kelly P., Mwiya M., Mulwazi E., Sianongo S. (2001) Intestinal and systemic infection, HIV and mortality in Zambian children with persistent diarrhoea and malnutrition Journal of Paediatric Gastroenterology and Nutrition 32: 550-554
- 8 Ikeogu M.O., Wolf B. Mathe S. (1997) Pulmonary manifestations in HIV seropositivity and malnutrition in Zimbabwe Archives of Disease in Childhood 76; 124-128
- <sup>9</sup> Periquet BA et al. Micronutrient levels in HIV-1-infected children. AIDS, 1995,9:887-893
- <sup>10</sup> Bates, I., Fenton, C., Gruber, J., Lalloo, D., Lara, A.M., Squire, S.B., Theobald, S., Thomson, R., & Tolhurst, R. (2004) 'Vulnerability to malaria, tuberculosis and HIV/AIDS infection and disease: part I Determinants operating at individual and household level 'Lancet Infectious Disease 4: 267-77
- 11 Global forum for health research report, WHO/FCH/CAH, 2005
- <sup>12</sup> Jones G, Steketee RW, Black RE, Bhutta ZA, Morriss SS, Lancet 2003; 362 (9377):65-71 The Lancet Neonatal Survival series
- Nigel C Rollins 9 March 2007;BMJ 2007;334:487-488 (10 March), doi:10.1136/bmj.39135.411563.80 Editorials Infant feeding and HIV Avoiding transmission is not enough Recently, the World Health Organization updated its recommendations of 2000
- Piwoz EG, Ross JS. Use of population-specific infant mortality rates to inform policy decisions regarding HIV and infant feeding. Journal of Nutrition 2005;135:1113-9
- WHO. New data on the prevention of mother-to-child transmission of HIV and their policy implications: conclusions and recommendations. WHO technical consultation on behalf of the UNFPA/UNICEF/WHO/UNAIDS inter-agency task team on mother-to-child transmission of HIV.WHO/RHR/01.28ed. Geneva: WHO, 2001
- <sup>16</sup> WHO Collaborative Team. Effect of breastfeeding on infant and child mortality due to infectious diseases in less developed countries: a pooled analysis. WHO collaborative study team on the role of breastfeeding on the prevention of infant mortality. Lancet 2000;355:451-5.
- <sup>17</sup> HIV and infant feeding technical consultation held on behalf of the inter-agency task team (IATT) on prevention of HIV infections in pregnant women, mothers and their infants. Geneva, October 25-27, 2006
- <sup>18</sup> Grubman S., Gross E., Lerner Weiss N. et al (1995) Older children and adolescents living with perinatally acquired HIV infection Paediatrics 95: 657-663
- <sup>19</sup> Obimbo E.M. et al (2004) Predictors of early mortality in a cohort of human immunodeficiency virus type-1 infected African children Paediatric Infectious Disease Journal Jun; 23(6): 536-543
- <sup>20</sup> Bobat R, Moodley D, Coutsoudis A, Coovadia H, Gouws E (1998) The early natural history of vertically transmitted HIV-1 infection in African children from Durban, South Africa. Annals of Tropical Paedatrics 18 (3): 187-196
- <sup>21</sup> Chintu C et al, (2004), Co-trimoxazole as prophylaxis against opportunistic infections in HIV-infected Zambian children (CHAP): a double-blind randomized placebo-controlled trial. Lancet, 364, 1865-1871

- <sup>22</sup> Bobat R et al. Growth in early childhood in a cohort of children born to HIV-1 infected women from Durban, South Africa. Annals of Tropical Paediatrics, 2001, 21:203-210
- <sup>23</sup> National Statistical Office Malawi, 2006.
- <sup>24</sup> National Statistical Office Malawi, 2006.
- <sup>25</sup> Kessler L et al, 2001, The impact of HIV infection on the clinical presentation of severe malnutrition in children at QECH, Malawi Medical Journal Vol 13, No.3 (Sept 2001): pp30-33
- Thurstans S, Kerac M, Maleta K, Banda TW, Nesbitt A. (2006), HIV Prevalence in Severely Malnourished Children Admitted to Nutrition Rehabilitation Units in Malawi: Geographical & Seasonal Variations A cross-sectional study, submitted for publication.
- <sup>27</sup> WHO, World Health Report 2006
- <sup>28</sup> The SPHERE Project, Humanitarian Charter and Minimum Standards in Disaster Response, 2004 edition, available at: www.sphereproject.org/handbook
- <sup>29</sup> MOH/ACF International Network monthly NRU data, Malawi 2006
- <sup>30</sup> Collins S, Dent N, Binns P, Bahwere P, Sadler K, Hallam A. Management of severe acute malnutrition in children, www.thelancet.com September 26, 2006
- <sup>31</sup> HIV and infant feeding technicalconsultation held on behalf of the inter-agency task team (IATT) on prevention of HIV infections in pregnant women, mothers and theirinfants. Geneva, October 25-27, 2006 ACF International Network, MOH Malawi, Monthly NRU statistics
- <sup>32</sup> Collins S and Sadler K. 2002 Outpatient Care for Severely Malnourished Childre in Emergency Relief Programmes: a retrospective cohort study. Lancet 360: 1825-1830
- <sup>33</sup> The SPHERE Project, Humanitarian Charter and Minimum Standards in Disaster Response, 2004 edition, available at: www.sphereproject.org/handbook
- <sup>34</sup> World Health Organisation (2006). Antiretroviral Therapy of HIV infection in infants and children: Towards universal access. Reccomendations for a public health approach
- <sup>35</sup> The SPHERE Project, Humanitarian Charter and Minimum Standards in Disaster Response, 2004 edition, available at: www.sphereproject.org/handbook
- <sup>36</sup> Ashworth, A. (2001). "Treatment of severe malnutrition." Journal of pediatric gastroenterology and nutrition 32(5): 516-8.
- <sup>37</sup> Ashworth, A., M. Chopra, et al. (2004). "WHO guidelines for management of severe malnutrition in rural South African hospitals: effect on case fatality and the influence of operational factors." Lancet 363(9415): 1110-5.
- <sup>38</sup> World Health Organisation (2004). Severe Malnutrition: Report of a consultation to review current literature, 6-7 September 2004
- <sup>39</sup> World Health Organization. Antiretroviral therapy of HIV infection in infants and children in resource-limited settings, towards universal access: recommendations for a public health approach (2006 revision). Geneva: World Health Organization;2006.
- <sup>40</sup> Ashworth, A. (2001). "Treatment of severe malnutrition." Journal of pediatric gastroenterology and nutrition 32(5): 516-8.
- <sup>41</sup> Panos Institute- 2001 Zambia pilot study report
- <sup>42</sup> The antiretroviral therapy in lower income countries (ART-LINC) collaboration and ART cohort collaboration (ART-CC) groups, Mortality of HIV-1 infected patients in the first year of antiretroviral therapy: comparison between low-income and high-income countries, Lancet 2006; 367: 817-24
- <sup>43</sup> Government of Malawi, Ministry of health (2005) Guidelines for the management of acute malnutrition
- <sup>44</sup> Unicef (2006) State of the worlds children, excluded and invisible
- <sup>45</sup> Organ J. Water and HIV: working for positive solutions, ACF International Network/Children in Distress (CINDI) Zambia. 2007
- <sup>46</sup> Paton NI, Sangeetha S, Earnest A, Bellamy R; 2006, The impact of malnutrition on survival and the CD4 count response in HIV infected patients starting antiretroviral therapy, HIV Medicine, 7, 323-330
- <sup>47</sup> World Health Organisation (2005). Interim WHO clinical staging of HIV/AIDS and HIV/AIDS case definitions for surveillance, Africa region

68

- <sup>48</sup> Malawi MOH HIV Unit, (2006), 12-monthly Report from the Clinical HIV Unit, MOH: January December, 2005
- <sup>49</sup> Egge and Strasser (2005) measuring the impact of targeted food assistance on HIV/AIDS related beneficiary groups with a specific focus on TB, ART, CI and PMTCT beneficiaries, C-SAFE
- <sup>50</sup> Egge and Strasser (2005) measuring the impact of targeted food assistance on HIV/AIDS related beneficiary groups with a specific focus on TB, ART, CI and PMTCT beneficiaries, C-SAFE
- <sup>51</sup> Egge and Strasser (2005) measuring the impact of targeted food assistance on HIV/AIDS related beneficiary groups with a specific focus on TB, ART, CI and PMTCT beneficiaries, C-SAFE
- Dabis F, Egger M, Schechter M, Brinkof M, May M, Sterne J (2006) Mortality of HIV-1 infected patients in the first year of antiretroviral therapy: comparison between low-income and high-income countries. www.thelancet.com Vol 367. March 11
- <sup>53</sup> 6-monthly Report from the HIV Unit, Ministry of Health, Malawi: January June, 2007
- <sup>54</sup> Positive living training of trainers manual, September 2005, AAH, CRS, Save the Children with financial support from NAC
- <sup>54</sup> Rainer J. The QUAC Stick: a field measure used by the Quaker Service Team in Nigeria. Trop Pediatr.1969; 15: 243-247